

GENERAL INDEX TO VOLUME XXV

New scientific names of plants and the final members of new combinations are printed in **bold face type**; synonyms and page numbers having reference to figures and plates, in *italics*; and previously published names and all other matter, in ordinary type.

A

- Adacina*, 550
 Acarosporaceae, 554
 Acid reaction of pollen granules of *Tradescantia*, 460
Aetnodaphne, 400; *angustifolia*, 418; *chinensis*, 386, 414, var. *oblongifolia*, 386, 414, var. *rotundifolia*, 385, 414; *cochinchinensis*, 404; *confertiflora*, 400, 401; *confertifolia*, 414, 416; *cupularis*, 399, 405; *ferruginea*, 407; *glaucina*, 410; *Henryi*, 407; *hongkongensis*, 414, 418; *Hookeri*, 414; *lanceifolia*, 406, var. *sinensis*, 406; *Lecomtei*, 399, 413; *litseaefolia*, 408; *magniflora*, 403; *obovata*, 399, 404; *omeiensis*, 411; *pedunculata*, 414; *perluclida*, 409; *pilosa*, 404; *reticulata*, 412, var. *Forrestii*, 412, var. *glabra*, 412; *reticulata*, 413, var. *omeiensis*, 411; *rotundifolia*, 385, 414; *sessipedalis*, 409, var. *cambodiana*, 409; *setchenensis*, 411; *trichocarpa*, 402; *Tsaii*, 408
 Additions, corrections, and revisions to the "Annotated Catalogue of the Flowering Plants of Missouri," 775
Adinandra lasiopetala, 355
Agalopiema, 622
Alectoria, 598; ***antarctica***, 599, 600
 Algae in Marie Byrd Land, 467, 495, 520
 Algal components of lichens, 520, 735; of *Stereocaulon*, 739, 741, 743, 750
 Alkali reaction of microspore granules of *Tradescantia*, 460
 Allen, Caroline K. Studies in the Lauraceae. I. Chinese and Indo-Chinese species of *Litsea*, *Neolitsea*, and *Aetnodaphne*, 361
Alonsoa, 438; *acutifolia*, 453; *caulilata*, 453; *incisifolia*, 453; *linearifolia*, 453; *linearis*, 453; *Mutisii*, 453; *procumbens*, 453
Alsine chamaedrios, 446
Alsines seu Spergulae dictae species africana, 444
 Amaryllidaceae, Panamanian, 824
 ANN. MO. BOT. GARD., VOL. 25, 1938.
- Amelanchier canadensis f. nuda*, 772
Amphiloma, 622
Anagallis capensis, 446, 452; *foliis sinuatis*, 437; *purpurea*, 446
Anisophyllum (sect.) 2, 10
Anisophyllum, 2, 10; *cordatum*, 62; *multiforme*, 45; *nodosum*, 10; *Thymifolium*, 67; *virgatum*, 59
 Antarctic Expedition, The second Byrd—Botany, 467
 Antarctica, botanical exploration of, 516, 517
Antirrhinum, 435
Anzia sect. *Pannoparmelia*, 586
 Apocynaceae: Panamanian, 832; Studies in the. VII. An evaluation of the genera *Plumeria* L. and *Himantanthus* Willd., 189
 Apothecial characters of *Stereocaulon*, correlation of, with cephalodial types, 746
Ardisia furfuracella, 832
Argopsis, 734, 736
 Asclepiadaceae, Panamanian, 833
Aspidosperma, 194
Audibertia (sect.), 98
Audibertia, 98; *capitata*, 123; *Clevelandii*, 119; *decurrens*, 110; *Dorrii*, 133; *grandiflora*, 110; *humilis*, 136; *incana*, 130, var. *pachystachya*, 125, var. *pilosa*, 133; *Mearnsii*, 131; *nivea*, 121; *pachystachya*, 125; *Palmeri*, 146; *polystachya*, 140; *spinulosa*, 113; *stachyoides*, 112, var. *revoluta*, 117; *Vaseyi*, 138
Audibertiella, 98; *argentea*, 131; *capitata*, 123; *Clevelandii*, 119; *Dorrii*, 133; *grandiflora*, 110; *humilis*, 136; *incana*, 130; *nivea*, 121; *Palmeri*, 146; *polystachya*, 140; *stachyoides*, 113; *Vaseyi*, 138

B

- Baeomyces*, 734
 Baker, Gladys E., Carroll W. Dodge and. The second Byrd Antarctic Expedition—Botany. II. Lichens and lichen parasites, 515

- Barbula Byrdii*, 719, 720
 Bartram, Edwin B. The second Byrd Antarctic Expedition—Botany. III. Mosses, 719
Begonia Allenii, 830
Begoniaceae, Panamanian, determined by P. C. Standley, 830
Benzoïn fruticosum, 399; *Levinei*, 423; *obovatum*, 367; *puberulum*, 370; *setchuenensis*, 411
Berengeria, 655
Biatorrella arachnoidea, 555, 680
Biatoridium, 554
 Birds, relation of, to Antarctic plant life, 485, 501, 502, 504
Blastenia, 611; *grisea*, 613, 680, 694; subg. *Protoblastenia*, 605; *succinea*, 612, 694
Blasteniaceae, 604
Botrytis, 522, 712
Bryaceae, 723
Bryum (*Argyrobryum*) *antarcticum*, 719, 724; *austropolare*, 724; *Siplei*, 723
Buchenavia capitata, 831
Buellia, 631; *albida*, 654, 708; *alboradinae*, 647, 700, 702; *brunnescens*, 646, 700; sect. *Catocarpus*, 551; *chrysea*, 642, 700; *dendritica*, 651, 706, 708; *flavoplana*, 640, 698, 718; *floccosa*, 650, 702, 704; *frigida*, 653, 702, 718; *grisea*, 639, 706; *muscicola*, 643, 706; *olivaceobrunnea*, 636, 704; *pallida*, 638, 700; *Russellii*, 649, 708; *Siplei*, 635, 708, 710; *stellata*, 644, 698, 700
Buelliaceae, 521, 631
Burmanniaceae, Panamanian, determined by F. P. Jonker, 825
 Byrd Antarctic Expedition, The second—Botany. I. Ecology and geographical distribution, 467; II. Lichens and lichen parasites, 515; III. Mosses, 719
- C
- Cacalia arborea*, 798; *pulchella*, 816; *teretifolia*, 819
 Californian *Salvias*, The, 95
Callophisma, 619
Calophaea, 619; *athallina*, 621; *aurantiaca*, 622; *cinericola*, 622; *cirrochroides*, 626; *inordinata*, 626; *Joannae*, 626; *lucens*, 627; *sublobulata*, 627
Candelariella, 580; *albovirens*, 582, 684, 686; *chrysea*, 580, 686
 Carbohydrates, tests for, in microspore granules of *Tradescantia*, 458
Cardamine bulbosa f. *fontinalis*, 771
Carya Buckleyi var. *arkansana* f. *glabra*, 770
 "Catalogue, Annotated, of the Flowering Plants of Missouri," Additions, corrections, and revisions to the, 775
Catillaria, 543; *arachnoidea*, 549, 672, 718; *cremea*, 544, 672; *floccosa*, 545, 672; *granulosa*, 547, 674; *inconspicua*, 548, 674
Catocarpon, 551
Catocarpus, 551
Cephalodia of *Stereocaulon*: historical review of, 729; illustrating their varied gross morphology, 764; origin and development of, 738, 766, 768; physiological significance of, 737; The taxonomic importance and phylogenetic significance of the, 729; types of, 737, 745, correlation of apothecial characters with, 746, of vegetative characters with, 748, of geographical distribution with, 758, botryose, 741, scrobiculate, 742, spherical, 739
Chamaesyce, 2; *atrocoeca*, 42; *Celaströides*, 24; *Clusiaefolia*, 10; *Degeneri*, 62; *festiva*, 61; *Forbesii*, 12; *halemanui*, 23; *Hillebrandii*, 56, var. *waimanoana*, 58; *Hookeri*, 59; *Hypericifolia*, 66; *lorifolia*, 33; *multiformis*, 45; *olovahuana*, 40; *Remyi*, 15; *Rockii*, 14; *Skottsbergii*, 54
 Chemical studies, Optical and, on the granules in microspores of *Tradescantia*, 455, 458
 Chester Mts., geology and plant life of, 493, 514
 Chinese and Indo-Chinese species of *Litsea*, *Neolitsea*, and *Actinodaphne*, 361
Chiococca phaenostemon, 838
Chlorophyceae, 520, 751
Cladonia, 734, 745
Cladoniaceae, phylogenetic relationships in, 733, 755
 Claude Swanson Mts., 487, 506
Cleyera, 299, 300
Cogswellia, 225, 228; *alata*, 287; *altensis*, 288; *ambigua*, 247; *angustata*, 268; *anomala*, 285; *argensis*, 263; *artemisiarum*, 264; *Austinae*, 257; *bicolor*, 246; *Brandegei*, 290; *brevicarum*, 287; *brevifolia*, 286; *Canbyi*, 244; *caruifolia*, 252, var. *patens*, 250, var. *Vaseyi*, 251; *Chandleri*, 250; *circumdata*, 249; *concinna*, 276; *Congdoni*, 286; *Cottami*, 277; *Cous*, 247; *Cusickii*, 287; *dasycarpa*, 262; *daucifolia*, 260; *decipiens*, 255;

- Donnellii*, 271; *duchesnensis*, 292; *Eastwoodae*, 275; *elliptica*, 265; *farinosa*, 242; *flava*, 264; *foeniculacea*, 259; *fragrans*, 271; *Geyeri*, 243; *gigantea*, 285; *Gormani*, 240, f. *purpurea*, 241; *Grayi*, 270; *Hallii*, 279; *Hassei*, 236; *Hendersoni*, 244; *Howellii*, 237; *insularis*, 239; *Jaredi*, 262; *Jonesii*, 258; *juniperina*, 259; *laevigata*, 288; *lpidosa*, 292; *latifolia*, 291; *Leibergii*, 279; *Lemmoni*, 292; *leptocarpa*, 246; *leptophylla*, 283; *lucida*, 236; *MacDougalli*, 258; *macrocarpa*, 264, 279, var. *artemisiarum*, 264; *marginata*, 253; *Martindalei*, 280, var. *angustata*, 268; *microcarpa*, 279; *millefolia*, 270, var. *depauperata*, 270; *minima*, 273; *mojavensis*, 263; *montana*, 248; *nevadensis*, 254, var. *cupulata*, 254, var. *Parishii*, 255, var. *pseudorientalis*, 255; *nudicaulis*, 291; *Nuttallii*, 278, var. *alpina*, 279; *oregana*, 273; *orientalis*, 261; *orogenioides*, 242; *pallida*, 239; *Parishii*, 255; *Parryi*, 277; *parvifolia*, 238; *Piperi*, 241; *platycarpa*, 283; *platyphylla*, 291; *Plummerae*, 256; *rigida*, 240; *robustior*, 286; *Sandbergii*, 266; *scabra*, 275; *serpentina*, 271; *simplex*, 283; *simulans*, 264; *Sonnei*, 257; *Suksdorfii*, 289; *tomentosa*, 263; *Torreyi*, 267; *triternata*, 284, var. *alata*, 287, f. *lancifolia*, 285, var. *robustior*, 286; *utriculata*, 250, var. *papillata*, 251; *vaginata*, 249; *Vaseyi*, 251; *villosa*, 259; *Watsoni*, 245
Collembaceae, 520
Combretaceae, Panamanian, determined by P. C. Standley, 831
Coniocalpinaeae, 736
Conopholis americana, 836; *mexicana*, 835, 836; *panamensis*, 835, 835
Contributions toward a flora of Panama.
II. Miscellaneous collections during 1936-1938, 823
Corrections to the "Annotated Catalogue of the Flowering Plants of Missouri," 775
Cranichis muscosa, 825
Crinum darienensis, 824; *erubescens*, 825
Culcitium magellanicum, 809
Cyclocarpinaeae, 733
Cyenochea chlorochilon, 825
Cylicodaphne longipes, 379
Cymopterus duchesnensis, 292; *longipes*, 292; *Newberryi*, 292
Cynomarathrum, 228; *alpinum*, 279; *Brandegei*, 290; *brecciarum*, 287; *Eastwoodae*, 275; *latilobum*, 281; *Macbridei*, 292; *megarrhium*, 282; *Nuttallii*, 278; *Parryi*, 277; *scabrum*, 275
D
Daphnidium elongatum, 390; *lancifolium*, 406
Diascia, 436, 438, 446; *Bergiana*, 436, 437, 438; *diffusa*, 435, 436, 437, 453; *elongata*, 453; *macrophylla*, 437, 440, 453; *montana*, 446; *Scullyi*, 446; *unilabiata*, 453
Diastase, effect of, on microspore granules of *Tradescantia*, 459
Dictyorinis, 655
Didymodon glaciale, 719
Dimelaena, 655
Diospyros cerasifolia, 326; *serrata*, 321
Diphacis, 550
Diphanis, 550
Diplonaevia Parmeliae, 661, 712
Dodge, Carroll W. and Gladys E. Baker. The Second Byrd Antarctic Expedition—Botany. II. Lichens and lichen parasites, 515
Douglasiana, 101
Dryopteris Hostmanni, 824; *Lindigii*, 824
Durham Point, plant life of, 496
E
Echinosphace (subsect.), 100
Echinosphace (sect.), 100
Echites turbinata, 833
Ecology and geographical distribution of the Antarctic flora, 467
Edsel Ford ranges of Marie Byrd Land, 468; chemical analyses of some of the igneous mountains in, 474; general view of, 504; temperature of, 480
Elaphoglossum siliquoides, 824
Enzyme reactions of pollen granules of *Tradescantia*, 459
Epling, Carl. The Californian *Salvias*. A review of *Salvia*, section *Audibertia*, 95
Eueurya (sect.), 299, 306
Eulophus ambiguus, 246; *triternatus*, 284
Euphorbia L., Revision of the Hawaiian species of, 1
Euphorbia, 5; *Arnottiana*, 59; *atrococa*, 42, var. *kilaueana*, 44, var. *ko-keana*, 44; *bifida*, 66; *Celastroides*, 24, var. *amplectens*, 36, 88, var. *halawana*, 31, 84, f. *kahanana*, 31, var. *hanapepensis*, 35, 86, var. *haupuana*, 29, var. *Humbertii*, 32, var. *kaenana*,

- 28, 82, var. *kealiana*, 30, var. *kohaliana*, 30, var. *lorifolia*, 33, var. *mauiensis*, 38, var. *moomomiana*, 27, 80, var. *nematopoda*, 33, var. *niuensis*, 36, var. *saxicola*, 32, var. *Stokesii*, 26, var. *waiakoluensis*, 29; *Celastroides*, 35; *Clusiaefolia*, 10; *Clusiaefolia* var. *grandifolia*, 13; *cordata*, 62; *coriariaefolia*, 59; *cyathophora*, 72; *DeGeneri*, 62, var. *molokaiensis*, 64, 94; *festiva*, 61; *Forbesii*, 12; *geniculata*, 72; *halemanui*, 23, 78; *heterophylla*, 70, var. *cyathophora*, 72; *heterophylla* var. *genuina*, 70; *Hillebrandii*, 56, var. *palikeana*, 58, var. *waimanoana*, 58; *hirta*, 64; *Hookeri*, 59, var. *integrifolia*, 61; *Hypericifolia*, 66; *lorifolia*, 33, 36, 39, var. *gracilis*, 41; *multiformis*, 45, var. *haleakalana*, 49, var. *kaalana*, 52, var. *kapulei*-*ensis*, 50, var. *manoana*, 50, var. *microphylla*, 47, var. *perdita*, 53, var. *sparsiflora*, 51, var. *tomentella*, 52, 90; *multiformis*, 47, 50, var. *a*, 47, var. *Celastroides*, 24, var. *lorifolia*, 33, var. *tenuior*, 47; *myrtifolia*, 59; *oahuensis*, 32; *olowaluana*, 40, var. *gracilis*, 41; *palustris*, 51; *Peplus*, 73; *pubulifera*, 64; *prostrata*, 68; *Remyi*, 15, var. *hanalei*-*ensis*, 23, var. *kahili*-*ana* (*kalihi*-*ana*), 19, var. *kauaiensis*, 22, var. *leptopoda*, 18, var. *Lydgatei*, 18, var. *molesta*, 19, 76, var. *olo*-*len*-*ensis*, 20, var. *pteropoda*, 17, var. *wahiawana*, 19, var. *waimeana*, 17, var. *Wilkesii*, 21; *Remyi*, 15, var. *a*, 15, var. *β*, 21; *riularis*, 33; *Rockii*, 13; *Skottsbergii*, 54, var. *audens*, 55, var. *kalaeloana*, 55, 92, var. *Vaccinioides*, 56; *sparsiflora*, 51; *Stokesii*, 26; *Thymifolia*, 67
- Eurhisocarpon*, 551
- Eurya* subgen. *Euryodes* and *Penteurya*, 299
- Eurya*, 299, 306; *acuminata*, 321, var. *Groffii*, 325; *acuminata* var. *euprista*, 322, var. *monticola*, 323, var. *multiflora*, 322, 325; *acuminatissima*, 328; *albiflora*, 346; *albo-punctata*, 353; *amplexicaulis*, 338; *amplexifolia*, 306; *anceps*, 310; *angulosa*, 353; *angustifolia*, 321, 322; *arbutifolia*, 353; *arianensis*, 323; *aurea*, 309; *aureiculata*, 338; *Benthamiana*, 353; *divaria*, 321; *Blumeana*, 321; *boliviensis*, 354; *Bolleana*, 354; *boninensis*, 351; *buxifolia*, 338; *calophylla*, 354; *candicans*, 354; *castaneifolia*, 351; *Cavaleriei*, 354; *cerasifolia*, 326; *cer-*
- nua*, 354; *ceylanica*, 320; *chinensis*, 319; *chinensis*, 316; *ciliata*, 331; *clandestina*, 322, var. *minor*, 322; *conocarpa*, 342; *confinis*, 322, var. *fusca*, 322; *conocarpa*, 354; *cordata*, 354; *coriacea*, 340; *crenatifolia*, 332; *crispa*, 335; *cuneata*, 317, var. *glabra*, 318; *disticha*, 327; *distichophylla*, 330, var. *Henryi*, 330; *Domdeyana*, 354; *Ekmant*, 354; *emarginata*, 316, var. *microphylla*, 317; *Esquirolii*, 354, 389; *euprista*, 321, var. *heteroidea*, 322; *Fangii*, 318; *fasciculata*, 310; *ferruginea*, 354; *flava*, 338; *Friedrichsthaliana*, 354; *glaberrima*, 334; *glaberrima* var. *acuminata*, 323; *glabra*, 342; *glandulosa*, 315; *gnaphalocarpa*, 332; *grandia*, 351; *Greenmaniana*, 344; *Grisebachii*, 354; *Groffii*, 325; *guatemalensis*, 354; *guianensis*, 354; *Handelliana*, 309; *Hasseltii*, 310; *Hayatai*, 334; *Hellwigii*, 345; *Henryi*, 330; *Hintoni*, 354; *hirsutula*, 322; *hortensis*, 335; *inaequifolia*, 354; *inaequilatera*, 354; *Jacquemartii*, 336; *japonica*, 335, var. *microphylla*, 337; *japonica* var. *acuminata*, 322, var. *aurea*, 335; *chinensis*, 320, var. *conocarpa*, 343, var. *hortensis*, 335, var. *montana*, 335, var. *multiflora*, 336, var. *nitida*, 311, var. *parvifolia*, 319, var. *phyllanthoides*, 322, var. *pumila*, 337, var. *pusilla*, 335, var. *Thunbergii*, 311, 336, 343, var. *uniflora*, 335, var. *yakushimensis*, 353; *Karsteniana*, 354; *ladronica*, 311; *lanata*, 354; *lanceifolia*, 354; *lasiopetala*, 354; *latifolia*, 336; *Lehmannii*, 354; *leptantha*, 349; *leptophylla*, 332; *littoralis*, 316; *longipes*, 355; *Loquaiana*, 326; *lucida*, 321; *Macartneyi*, 306, var. *hainanensis*, 307; *macrophylla*, 355; *Matsudai*, 323; *meizophylla*, 348; *membranacea*, 322; *Merrilliana*, 347; *mexicana*, 355; *microphylla*, 337; *monsonensis*, 355; *montana*, 335; *multiflora*, 321; *muricata*, 352; *myrtifolia*, 310, var. *anceps*, 311, var. *Hasseltii*, 311, var. *polymorpha*, 310, var. *vierea*, 311; *myrtilloides*, 355; *Nimanimae*, 355; *nitida*, 310, var. *aurea*, 314; *nitida*, 355, var. *strigillosa*, 323; *obliquifolia*, 315; *obovata*, 343, var. *sinaboensis*, 344; *obovata* var. *elliptica*, 343; *oreogena*, 346; *osimensis*, 352; *oxysepala*, 350; *pachyphylla*, 340; *pachyrachia*, 340; *palauensis*, 311; *panamensis*, 829; *parvifolia*,

- 319; *patentipila*, 331; *phyllanthoides*, 322, var. *brevifolia*, 322; *phyllopoda*, 350; *Pickeringii*, 340; *polyneura*, 307; *ponapensis*, 311; *pumila*, 337; *pusilla*, 336; *rapensis*, 352; *Rehderiana*, 349; *renggechiensis*, 337; *reticulata*, 343, 355, var. *subintegrifolia*, 355; *Richii*, 341; *Roemerii*, 344; *roraimensis*, 355; *rostrata*, 322; *Roxburghii*, 310; *ryukyuensis*, 353; *salicifolia*, 322; *sanguinea*, 341; *Seemanniana*, 355; *sericea*, 355, var. *chrysophylla*, 355; *serrata*, 322, var. *firma*, 322, var. *membranacea*, 322; *spathulifolia*, 355; *stenophylla*, 308; *strigillosa*, 331; *suberosa*, 355; *subintegrifolia*, 355; *Suzukii*, 323; *Swinglei*, 330; *symplocina*, 326; *symphilitica*, 355; *systyla*, 311; *ternatana*, 353; *ternstroemioides*, 355; *tetragonoclada*, 308; *tigang*, 347; *titang* var. *meisophylla*, 348, var. *phyllopoda*, 350; *timorensis*, 353; *trichocarpa*, 328; *trichogyna*, 328; *tristyla*, 342; *uniflora*, 335; *vaccinioides*, 355; *velutina*, 329; *verrucosa*, 355; *virens*, 311, var. *elliptica*, 311; *vitiensis*, 341; *Wallichiana*, 322, 326; *Wawrai*, 355; *Weissiae*, 315; *Wightiana*, 310; *Wrayi*, 323; *yaeyamensis*, 333; *yakushimensis*, 353; *Yungasiae*, 355; *zigzag*, 334; *Zollingeri*, 310
- Euryodes* (subgen.), 299, 300, 301, 306
- Euryptera*, 228; *Hassei*, 236; *Howellii*, 237; *insularis*, 239; *lucida*, 235; *palida*, 239; *parvifolia*, 238
- F
- Ferula caruifolia*, 252; *farinosa*, 242; *foeniculacea*, 259; *macrocarpa*, 264; *nudicaulis*, 290; *Nuttallii*, 291; *parvifolia*, 238; *pubescens*, 256
- Frangipani*, 204
- Frangipancier*, 204
- Freziera*, 299, 300; *angulosa*, 353; *arbutifolia*, 353; *boliviensis*, 354; *Bolleana*, 354; *calophylla*, 354; *candicans*, 354; *cernua*, 354; *conocarpa*, 354; *cordata*, 354; *Dombeyana*, 354; *Ekmani*, 354; *ferruginea*, 354; *Friedrichsthaliana*, 354; *Grisebachii*, 354; *guatemalensis*, 354; *guianensis*, 354; *Hieronyma*, 355; *inaequalifolia*, 354; *inaequilatera*, 354; *integrifolia*, 353; *Karsteniana*, 354; *lanata*, 354; *lancifolia*, 354; *Lehmannii*, 354; *longipes*, 355; *macrophylla*, 355; *mexicana*, 355; *monsonensis*, 355; *Nimanima*, 355; *reticulata*, 355, var. *subintegrifolia*, 355; *roraimensis*, 355; *Seemanniana*, 355; *sericea*, 355, var. *chrysophylla*, 355; *spathulifolia*, 355; *suberosa*, 355; *subintegrifolia*, 355; *ternstroemioides*, 355; *vaccinioides*, 355; *verrucosa*, 355; *Wawrai*, 355; *Yungasiae*, 355
- Fungal components of lichens, 521, 735
- G
- Gametophyte of *Tradescantia*, granules in, 455
- Garland Hershey Ridge, plant life on, 486
- Gasparrinia, 622; *cirrochrooides*, 626; *inordinata*, 626; *Joannae*, 626; *lucens*, 626; *Siplei*, 624, 696, 698, 718; *sublobulata*, 627
- Geeria angustifolia*, 321; *glabra*, 342; *obovata*, 343; *serrata*, 321; *serrata sericea*, 321
- Geographical distribution of the Antarctic flora, 467
- Geology of Marie Byrd Land, 472
- Gloeocapsa, 741, 742, 751
- Glossodium, 734
- Gomphillus, 734
- Gonidia, cephalodial, in *Stereocaulon*, specificity of, 750; variation of, 752
- Gonzalagunia panamensis, 837; *rosea*, 836
- Graham Land, explorations in, 468, 503, 515
- Grant, Adele Lewis. A monograph of the genus *Hemimeris*, 435
- Granules in microspores of *Tradescantia*, Optical and chemical studies on the, 455, 466
- Graphidineae, 736
- Greeneostachys* (subsect.), 109
- Greenman, Jesse More, portrait of, 1; dedication of number of ANNALS in honor of birthday of, 1; Studies of South American Senecios—II, 795
- Grimmia Antaretici, 719, 721, var. *percompacta*, 723, var. *pilifera*, 722
- Grimmiaceae, 721
- Guettarda chiriquensis*, 838; *crispiflora*, 839
- Gymnoderma, 734
- Gymnosiphon suaveolens, 825
- Gynandra*, 299
- H
- Haines Mountains, geology and plant life of, 486, 487, 506, 508
- Hawaiian species of *Euphorbia* L., Revision of the, 1

Hemimeris, A monograph of the genus, 435

Hemimeris, 435, 441; *acutifolia*, 453; *alsinoides*, 446; *bonae-spei*, 435, 436, 452; *caulialata*, 453; *centrodes*, 439, 440, 450; *coccinea*, 453; *diffusa*, 438, 453; *elegans*, 453; *gracilis*, 439, 440, 451, 452; *hirsuta*, 453; *incisifolia*, 453; *intermedia*, 453; *latipes*, 446; *linearifolia*, 453; *macrophylla*, 453; *montana*, 436, 437, 439, 446, 447, var. *pachyceras*, 440, 449; *montana* var. *latipes*, 446; *Mutisi*, 453; *nana*, 450; *pachyceras*, 449; *parviflora*, 453; *peduncularis*, 453; *procumbens*, 453; *sabulosa*, 436, 437, 439, 443, 444; *sessilifolia*, 446; *sinuata*, 446; *unilabata*, 453; *urticifolia*, 453

Heteromyces, 734

Hezanthus umbellatus, 396

Himatanthus Willd., An evaluation of the genera *Plumeria* L. and, 189

Himatanthus, 190, 192; *articulata*, 196, 221, 222, 223; *attenuata*, 197, 222; *bracteata*, 200, 222, 223; *lancifolia*, 200, 222; *obovata*, 201, 222, 223, 224, var. *puberula*, 201, 222, 223, var. *typica*, 201; *phagedaenica*, 199, 221, 222, 223; *rigida*, 193, 196; *Sucumba*, 198, 222, 223

Hormiscium sp., 496, 521, 712

Huea, 617; *cerussata*, 618; *coralligera*, 618; *flava*, 618, 696

Hybridization, evidences of, in the genus *Plumeria*, 217

Hybrids in *Salvia*, 143

I

Ilex crenata luzonica, 355; *emarginata*, 316

Imbricaria, 589

Iozoste chinensis, 386, var. *rotundifolia*, 385; *lancifolia*, 406; *pedunculata*, 414; *rotundifolia*, 385, var. *oblongifolia*, 386

Izora floribunda, 838

J

Jepsonia (subsect.), 118

Johnson, George Thomas. The taxonomic importance and phylogenetic significance of the cephalodia of *Stereocaulon*, 729; Francis O. Schmitt and. Optical and chemical studies on the granules in microspores of *Tradescantia*, 455

Jonker, F. P., Panamanian Burmanniaceae determined by, 825

K

Killip, Ellsworth P., Panamanian Passifloraceae determined by, 830

King Edward VII Land and northwestern Marie Byrd Land, map of, 475; lichens of, 500, 515; mosses of, 719

Kobuski, Clarence E. Studies in Theaceae. III. *Eurya* subgenera *Euryodes* and *Penteurya*, 299

Kuttlingeria, 614; *rufa*, 615, 694, 713; *rutilans*, 616, 694, 696

L

Lauraceae, Studies in the. I. Chinese and Indo-Chinese species of *Litsea*, *Neolitsea*, and *Actinodaphne*, 361

Laurus Cubeba, 368; *obovata*, 405; *pilosa*, 404; *rotundifolia*, 385

Lecania, 583

Lecanora, 568, 736; *carbonacea*, 576, 680; *chrysoleuca* var. *melanophthalma* f. *exsulans*, 570; *cinericola*, 622; *elegans* f. *lucens*, 626; *exsulans*, 570; *fuscobrunnea*, 577, 684; *griseo-marginata*, 572, 682; *inordinata*, 626; *Joannae*, 626; *lilacina*, 574, 682; *lilacinofusca*, 575, 684; *rubina* var. *melanophthalma* f. *exsulans*, 570; subg. *Rinodina*, 655; *Siplei*, 571, 682, 714; *sublobulata*, 627; *subolivacea*, 578, 684

Leibergia, 228; *orogenioides*, 242

Lecanoraceae, 567

Lecidea 528, 736; *Blackburni*, 540, 670; *Byrdii*, 536, 668; *cancriformis*, 539, 670, 714, *capsulata*, 533, 664; *cerussata*, 618; *coralligera*, 618; *Coreyi*, 534, 668; *ecorticata*, 537, 668; *Painei*, 542, 670; *Siplei*, 530, 666, 714; *Stanciffii*, 538, 668, 670; *Wadei*, 532, 666

Lecideaceae, 527

Leptotaenia salmoniflora, 292

Lichen aurantiacus, 622; subg. *Physcia*, 660

Lichen Peak, geology and plant life of, 486, 487

Lichens, 515, 729; algal symbionts, 520, 735; bacterial symbionts, 522; cephalodia of, 729; cortex, 519; fungal symbionts, 521, 735; light relations, 477; lower cortex, 520; medulla, 519; reproduction of, 521; water relations, 485; wind relations, 483; and lichen parasites of the Second Byrd Antarctic Expedition, 467, 497, 515

- Lindera communis*, 399; *Esquirolii*, 369; *fruticosa*, 399; *megaphylla* f. *touyensis*, 400; *obovata*, 367; *Playfairii*, 400, 431; *populifolia*, 367; *puberula*, 370; *setchunensis*, 411; *subcaudata*, 431
- Lipoids, tests for, in microspore granules of *Tradescantia*, 458
- Litsaea*, 362; *acutivena*, 389; *amara*, 396; *aurata*, 398, 422; *auriculata*, 366; *Balansae*, 396; *baviensis*, 376, var. *szemaois*, 377; *baviensis* var. *venulosa*, 378; *brevipetiolata*, 373, 374; *brideliifolia*, 385; *cambodiana*, 383, var. *longiracemosa*, 383, var. *multiracemosa*, 383; *Cavaleriei*, 398; *Chaffanjonii*, 398; *chartacea*, 377, var. *subtriplinervis*, 378; *Chenii*, 372; *chinensis*, 386; *Chunii*, 372; *citrata*, 368; *Clemensii*, 376; *confertifolia*, 399; 416; *consimilis*, 399, 426; *coreana*, 399; *Cubeba*, 368; *cupularis*, 399, 405; *Dunniana*, 391, 431; *Eberhardtii*, 378, var. *subtriplinervis*, 378; *elongata*, 390, var. *euneifolia*, 391; *Esquirolii*, 389, 399; *eugenioides*, 380; *euosma*, 368; *Faberi*, 390; *Faberi* var. *ganchouensis*, 389; *firma* *austrannamensis*, 387; *Forrestii*, 369; *fruticosa*, 399; *Garrettii*, 388, var. *longistaminata*, 388; *glauca*, 399, 421; *glutinosa*, 384, var. *brideliifolia*, 385; *gracilipes*, 399, 419; *grandifolia*, 375; *Greenmaniana*, 394; *Griffithii* *annamensis*, 375; *Helferi* *laosensis*, 379; *hexantha*, 396; *honghoensis*, 375; *hupehana*, 391; *hupehana* var. *longifolia*, 399, 413; *ichangensis*, 371; *iteodaphne*, 391, f. *chinensis*, 393; *Kobuskiana*, 354, 389, 431; *lanceifolia*, 395, var. *pedicellata*, 396; *lanceifolia*, 406; *lanceilimba*, 379; *laxiflora*, 399; *Liyuyingii*, 380; *longipes*, 379; *longepetiolata*, 367; *Maclurei*, 376; *Mairei*, 399; *mekongensis*, 392; *mollifolia*, 367; *mollifolia* var. *glabrata*, 369; *mollis*, 367, var. *glabrata*, 369; *monopetala*, 387; *moupinensis*, 370; *multiumbellata*, 373, f. *annamensis*, 373; *myricopsis*, 399; *obovata*, 399, 405; *Panamonia*, 380; *Pierrei*, 382, var. *grandifolia*, 382, var. *lobata*, 382; *Pierrei* var. *szemaois*, 377; *Playfairii*, 400; *polyantha*, 387, 397, f. *glabra*, 398; *populifolia*, 367; *pseudodelongata*, 384; *pulchella*, 400, 427; *pungens*, 371; *Rehderiana*, 381; *rotundifolia*, 385, 414, var. *oblongifolia*, 386, 414; *rubesens*, 372, var. *tonkinensis*, 373, var. *yunnanensis*, 372; *salicifolia*, 397, f. *attenuata*, 397, f. *glabra*, 398; *Sebifera*, 384, var. *brachyphylla*, 385; *sericea*, 369; *shweliensis*, 400, 401; *Thorelii*, 384; *touyensis*, 400; *umbellata*, 396; *umbrosa*, 400, 426; *undulatifolia*, 400, 417; *Vang*, 382, var. *grandifolia*, 382, var. *lobata*, 382; *variabilis*, 393, var. *oblonga*, 393; *variabilis* var. *tonkinensis*, 393; *Veitchiana*, 370; *verticillata*, 373, f. *annamensis*, 373, var. *brevipes*, 374, var. *brevipetiolata*, 374; *viridia*, 391, var. *Clemensii*, 391; *wenshanensis*, 375; *Wilsonii*, 388; *wushanica*, 400, 419; *zeylanica*, 400, 427, var. *chinensis*, 400, 427
- Little America, 467
- Lobaria amplissima*, 731; *herbaceae*, 731; *linita*, 731; *oregana*, 731
- Lomatia*, 225, 226
- Lomatium*, A revision of the genus, 225
- Lomatium*, 228; *alatum*, 253, 287, var. *purpureum*, 254; *alpinum*, 279; *ambiguum*, 246; *ambiguum* var. *leptocarpum*, 246; *angustatum*, 268, var. *flavum*, 269; *anomalum*, 285; *argense*, 263; *artemisiarum*, 264; *athamantoides*, 259; *Austinae*, 257; *bicolor*, 246; *Brandegei*, 290; *brevifolium*, 250; *Canbyi*, 244; *caruifolium*, 252, var. *denticulatum*, 253, var. *marginatum*, 253, var. *purpureum*, 254; *caruifolium* var. *erythropodium*, 252, var. *solanense*, 252; *Chandleri*, 250; *ciliolatum*, 276; *circumdatum*, 249; *concinnum*, 276; *Congdoni*, 266; *Cous*, 247; *Cusickii*, 287; *dasyacarpum*, 262; *dasyacarpum* var. *decorum*, 262, var. *medium*, 262; *daucifolium*, 225, 260; *Donnellii*, 271; *Eastwoodae*, 275; *ellipticum*, 265; *Engelmannii*, 268; *farinosum*, 242; *flavum*, 264; *foeniculaceum*, 225, 259; *Geyeri*, 243; *giganteum*, 285; *Gormanii*, 240, f. *purpureum*, 241; *Grayi*, 270, var. *dopauperatum*, 270; *Greenmanii*, 274; *Hallii*, 279; *Hendersonii*, 244; *Howellii*, 237; *insulare*, 239; *Jonesii*, 258; *juniperinum*, 259; *laevigatum*, 288; *lapidosum*, 292; *latilobum*, 281; *Leibergii*, 279; *Lemmonii*, 292; *leptocarpum*, 245; *lucidum*, 235; *lucidum* var. *repostum*, 237; *MacDougalii*, 258; *macrocarpum*, 264, var. *ellipticum*, 265; *macrocarpum* var. *artemisiarum*, 264, var. *Douglasii*, 264, var. *semicittatum*, 264; *marginatum*, 253, var. *purpureum*, 254; *Martindalei*, 280, var.

- angustatum*, 268; *megarrhizum*, 282; *microcarpum*, 279; *millefolium*, 270; *minimum*, 273; *mohavense*, 263; *montanum*, 248; *Nelsonianum*, 272; *nevadense*, 254, var. *Parishii*, 255, var. *pseudorientalis*, 255; *nevadense* var. *cupulatum*, 254, var. *holopterum*, 255; *nudicaule*, 290; *nudicaule* var. *puberulum*, 285; *Nuttallii*, 278, var. *alpinum*, 279; *oreganum*, 273; *orientale*, 225, 261; *orogenioides*, 242; *Parishii*, 255; *Parryi*, 277; *parvifolium*, 238, var. *pallidum*, 239; *Piperi*, 241; *platycarpum*, 283; *platyphyllum*, 291; *Plummerae*, 256, var. *Anstinae*, 257, var. *Helleri*, 257, var. *Sonnei*, 257; *pubescens*, 259; *purpureum*, 248; *repostum*, 237; *rigidum*, 239; *robustus*, 286; *Sandbergii*, 266; *scabrum*, 275; *semisepultum*, 258; *serpentinum*, 271; *simplex*, 282, var. *leptophyllum*, 283; *Sonnei*, 257; *Suksdorfii*, 289, var. *Thompsonii*, 289; *tomentosum*, 263; *Torreyi*, 267; *triterminalatum*, 284, var. *alatum*, 287, var. *anomalum*, 285, var. *brevifolium*, 286, var. *macrocarpum*, 286; *utriculatum*, 250, var. *papillatum*, 251; *utriculatum* var. *anthemifolium*, 250, var. *glabrum*, 250; *vaginatum*, 249; *Vaseyi*, 251; *villosum*, 225, 259; *Watsoni*, 245
- Ludvigia alternifolia* var. *pubescens*, 772
- Lyngbya*, 751
- M
- Machilus hainanensis*, 404; *pilosa*, 404; *Thunbergii*, 399
- Magnolia*, *guatemalensis*, 829; *poasana*, 829; *sororum*, 828; *Yoroconte*, 829
- Magnoliaceae*, Panamanian, 828
- Malapocenna Sieboldii*, 421
- Marathrum Allenii*, 827; *foenicula-ceum*, 828; *Schiedeanum*, 828
- Marie Byrd Land: discovery and exploration of, 467; flora of, 468, 486, 497, 501, 719; geology of, 468, 472; history of, 467; lichens and lichen parasites collected in, 515; light in, 477; map of, 475; moisture in, 484; Queen Maud Geological Party in, 471, mosses collected by, 719; rocks in, 486, 490; temperatures in, 478; wind in, 482; summary of plant life of, 497; zoological observations in, 470
- Mathias, Mildred E.* A revision of the genus *Lomatium*, 225
- Maxon, W. R., Panamanian Polypodiaceae determined by, 824
- Meristotheca*, 299
- Merorinis*, 655
- Microchaete trichopus*, 820
- Microspores of *Tradescantia*, Optical and chemical studies on the granules in, 455
- Missouri: Additions, corrections, and revisions to the Annotated Catalogue of the Flowering Plants of, 775; New varieties and forms from, 769
- Moisture in the Antarctic, 484
- Monograph of the genus *Hemimeris*, A, 435
- Mosses: in Marie Byrd Land, 467, 500; of the second Byrd Antarctic Expedition, 719
- Mt. Corey, geology and plant life of, 494, 514
- Mt. Donald Woodward, geology and plant life of, 487, 508, 512, 514
- Mt. Grace McKinley, geology and plant life of, 476, 491, 506, 508
- Mt. Helen Washington, geology and biology of, 481, 486, 490, 501, 504, 506
- Mt. Raymond Fosdick, plant life of, 494
- Mt. Rea-Cooper, geology and plant life of, 492, 506, 508, 510, 512, 514
- Mt. Stancliff, geology and plant life of, 489, 510
- Mountains in Marie Byrd Land: granitic, 490; metamorphic sediments and associated dike rocks, 486
- Munzia*, 100, 104
- Muscium tenuifolium*, 282
- Myrica adenophora*, 399; *esculenta*, 399
- Myrioblastus*, 554
- Myrsinaceae, Panamanian, determined by P. C. Standley, 832
- Myxophyceae, 520, 751
- N
- Neea acuminatissima*, 823
- Neolitsea*, 415; *alongensis*, 424; *aurata*, 398, 422, var. *glabrescens*, 422; *cam-bodiana*, 418, var. *glabra*, 418; *chinensis*, 422; *Chunii*, 429, f. *annamensis*, 430; *confertifolia*, 399, 414, 416; *elaeocarpa*, 421; *ellipsoidea*, 428; *ferruginea*, 418; *glaucua*, 421; *gracilipes*, 419; *homilantha*, 419; *hongkongensis*, 414, 418; *Howii*, 424; *kwangsiensis*, 423; *lanuginosa chinensis*, 422; *Levinii*, 423; *Merrilliana*, 425; *oblongifolia*, 417; *obtusifolia*, 420; *phanerophlebia*, 430, f. *glabra*, 430; *Playfairii*, 400, 431; *Poilanei*,

425; polycarpa, 429; pulchella, 400, 427; Sieboldii, 399, 421; subcaudata, 431; subfoveolata, 429; umbrosa, 399, 400, 426; undulatifolia, 400, 417; wushanica, 399, 400, 419; zeylanica, 400, 427, var. Fangii, 428; zeylanica var. obovata, 425

Neuropogon, 601; *melazanthum*, 602; *Taylori*, 602

New varieties and forms from Missouri, 769

Nostoc, 739, 740, 741, 742, 744, 751

Nyctaginaceae, Panamanian, determined by P. C. Standley, 828

O

Omphalodium quantum, 561

Optical and chemical studies on the granules in microspores of *Tradescantia*, 455

Orchidaceae, Panamanian, determined by Charles Schweinfurth, 825

Organ Pipe Mountains, 514

Orbanchaceae, 835

Oxyptolis sp., 292; *rigidior*, 292; *ternata*, 292

P

Paederota, 436, 442; *bonae spei*, 436, 437, 438, 443; *racemosa*, 446

Palicourea panamensis, 839

Palmer, Ernest J., and Julian A. Steyermark. New varieties and forms from Missouri, 769; Additions, corrections, and revisions to the "Annotated Catalogue of the Flowering Plants of Missouri," 775

Panama, Contributions toward a flora of, II. Miscellaneous collections during 1936-1938, 823

Pannariaceae, 736

Pannoparmelia, 586; *delicata*, 587, 714, 716; *pellucida*, 586, 714, 716

Parishella (subsect.), 100, 112

Parmelia, 589; *Coreyi*, 595, 688; *griseola*, 596, 688; *leucoblephara*, 592; *quarta*, 561; *violacea*, 593, 688; *parasite* of, 662

Parmeliaceae, 584

Passiflora salvadorensis, 830

Passifloraceae, Panamanian, determined by Ellsworth P. Killip, 830

Pastinacea ferulacea, 259; *foeniculacea*, 259; *nudicaulis*, 290

Peltigera apthosa, 757; *cephalodia* of, 730

Peltigeraceae, 736

Pencillium sp., 522

Pentstemon (subgen.), 300, 301, 345

Peperomia Alleni, 825; *cocleana*, 826

Pepsin, effect of, on microspore granules in *Tradescantia*, 459

Peucedanum, 225, 228; *abrotanifolium*, 247; *ambiguum*, 243, 246, var. *leptocarpum*, 246; *argense*, 263; *Austinae*, 257; *bicolor*, 246, var. *gumbonis*, 246; *Brandegei*, 290; *californicum*, 238, 252; *Canbyi*, 242; *caruifolium*, 252; *circumdatum*, 249; *confusum*, 240; *Cous*, 247; *Cusickii*, 287; *dasyacarpum*, 262; *daucifolium*, 260; *Donnellii*, 271; *erosum*, 253; *euryacarpum*, 264; *Euryptera*, 235; *evittatum*, 243; *farinosum*, 242; *foeniculaceum*, 259, 260, 262, var. *daucifolium*, 259, 260; *Geyeri*, 243; *Gormanii*, 240; *graveolens*, 278, var. *alpinum*, 279; *Grayi*, 270, var. *aberrans*, 270; *Hallii*, 270, 279; *Hassei*, 235; *Hendersonii*, 244; *Howellii*, 237; *insulare*, 239; *Jaredi*, 262; *juniperinum*, 259; *Kingii*, 278, var. *alpinum*, 279; *laevigatum*, 288; *lpidosum*, 292; *latifolium*, 291; *leiocarpum*, 291, var. *campestre*, 291; *Lemmoni*, 292; *leptocarpum*, 245; *ludovicianum*, 292; *macrocarpum*, 264, 277, var. *euryacarpum*, 264; *marginatum*, 253; *Martindalei*, 280, var. *angustatum*, 268; *megarrhiza*, 282; *microcarpum*, 279; *mellefolium*, 270; *mohavense*, 263; *montanum*, 248; *nevadense*, 254, var. *cupulatum*, 254; *Newberryi*, 292; *nudicaule*, 254, 261, 279, 291, var. *ellipticum*, 265, var. *puberulum*, 285; *Nuttallii*, 284, 291; *oreganum*, 273; *orientale*, 261; *Parishii*, 255; *Parryi*, 277; *parvifolium*, 238; *Plummerae*, 256; *Pringlei*, 262; *rigidius*, 292; *robustum*, 291; *salmoniflorum*, 292; *Sandbergii*, 266; *scopulorum*, 277; *simplex*, 283; *Suksdorfii*, 289; *tenuissimum*, 247; *ternatum*, 292; *tomentosum*, 263; *Torreyi*, 267; *triternatum*, 245, var. *alatum*, 287, var. *brevifolium*, 286, var. *leptocarpum*, 246, var. *leptophyllum*, 283, var. *macrocarpum*, 286, var. *platycarpum*, 282, var. *robustius*, 286; *utriculatum*, 250; *Vaseyi*, 251; *villosum*, 225, 259, 260; *Watsoni*, 240, 245

Phalodictyum, 550

Phragmothele, 524; *populare*, 524

Phylogenetic significance of the cephalodia of *Stereocaulon*, The taxonomic importance and, 729

Physcia, 660

Physcia, 589; *cirrhochroa*, 620

Physciaceae, 660

Pilophoron, 734, 736, 747

Piper Alleni, 826; caryazasense, 826;
san joseanum var. chiriquinum, 826;
tabasaranum, 827; yapeanum, 827Piperaceae, Panamanian, determined by
William Trelease, 825Placodium cirrochrooides, 626; inordinata, 626; Joannae, 626; lucens, 627;
sublobulatum, 627; sect. *Thamnoma*, 627

Pleolecis, 556

Pleurinis, 655

Plumeria L.: evidences of hybridization in the genus, 217; and Himatanthus Willd., An evaluation of the genera, 189

Plumeria, 189, 202; *acuminata*, 207; *acutifolia*, 208, *β. Gasparrini*, 208; *alba*, 216; *alba* var. *fragrans*, 206, *β. Jacquiniana*, 216; *ambigua*, 199, 221; *angustiflora*, 197; *angustifolia*, 221; *apiculata*, 213; *articulata*, 196, 221, 222, 223; *attenuata*, 197, 221, *β. obtusifolia*, 197, *γ. Malongo*, 197; *barahonensis*, 212; *beatensis*, 213; *Berteri*, 216; *bracteata*, 200, 222, 223; *casildensis*, 213; *cayensis*, 213; *clusioides*, 212; *cochleata*, 206; *cubensis*, 213; *cuneifolia*, 213; *cuspidata*, 222; *dictyophylla*, 213; *discolor*, 220; *drastica*, 196, 222; *Ekmanii*, 213; *estrellensis*, 213; *fallax*, 196, 199, 222; *filifolia*, 215; *floribunda*, 198, 222, *δ. acutifolia*, 199, *γ. calycina*, 199, *β. crassipes*, 199; *Hilariana*, 201, 222; *hypoleuca*, 216, *β. angustifolia*, 216; *incarnata β. Müller*, 208; *inodora*, 206, 832; *Jaegeri*, 216; *Lambertiana*, 208; *lancifolia*, 200, 222, *β. major*, 199, 200, *γ. microphylla*, 199; *leuco-neura*, 214; *longiflora*, 220; *loranthifolia*, 208; *Malongo*, 197; *Martii*, 199, 223; *megaphylla*, 208; *microcalyx*, 196, 223; *Milleri*, 208; *mollis*, 208; *multiflora*, 215; *obovata*, 201, 223, 224; *obtusata*, 212, 218, var. *sericifolia*, 214, var. *typica*, 212; *oligoneura*, 201, 223; *Ostenfeldii*, 213; *phagedaenica*, 199, 221, 222, 223; *pilosula*, 214; *puberula*, 201, 222, 223, 224; *pudica*, 206; *revoluta*, 200, 223; *rubra*, 202, 207, 218, f. *acutifolia*, 211, f. *lutea*, 211, f. *tricolor*, 211, f. *typica*, 211; *rubra* × *subsessilis*, 220; *sericifolia*, 214; *speciosa*, 199, 223; *stenopetala* var. *angustissima*, 220; *stenophylla*, 215; *subsessilis*, 216, 217; *Sucubda*, 198, 222, 223;

tarapotensis, 198, 223; *Tenorii*, 212; *trouinensis*, 220; *tuberculata*, 214; *velutina*, 201, 223; *Warmingii*, 201, 224

Plumiera, 202; *alba* var. *fragrantissima*, 206, var. *inodora*, 206; *arborescens*, 208; *caracasana*, 206; *confusa*, 212; *inaguensis*, 212; *jamaicensis*, 212; *Kerrii*, 208; *lanata*, 214; *latifolia*, 222; *montana*, 213; *nipensis*, 212; *trinitensis*, 214

Plumieria, 203; *bahamensis*, 212; *bicolor*, 207; *biglandulosa*, 220; *carinata*, 207; *clusioides*, var. *parviflora*, 212; *domingensis*, 214; *emarginata*, 212, *β. sericifolia*, 214; *gibbosa*, 214; *incarnata*, 207; *Jamesoni*, 208; *Krugii*, 212; *latifolia*, 201; *lutea*, 208; *Marchii*, 212; *mezicana*, 208; *obtusata γ. laevis*, 212, *β. parviflora*, 212; *Paulinae*, 220; *portoricensis*, 212; *purpurea*, 207; *sericifolia*, 214; *tricolor*, 207; *venosa*, 212

Podostemonaceae, Panamanian, 827

Poinsettia (sect.), 70

Poinsettia, 2, 70; *cyathophora*, 72; *Edwardii*, 70; *heterophylla*, 70Polycauliona, 627; *pulvinata*, 628, 696, 718; *regalis*, 627; *sparsa*, 629, 696

Polypodiaceae, Panamanian, determined by William R. Maxon, 824

Proteurya, 299, 300, 306

Proteublastenia, 605; *alba*, 607, 692; *aurea*, 608, 692; *citrinigracans*, 610, 692; *flava*, 605, 692

Proteins, tests for, in microspore granules of *Tradescantia*, 458

Pseudocymopterus humboldtensis, 292; *montanus*, 292

Pseudoeurya crenatifolia, 332*Pycnospace* (subsect.), 107*Pycnospace* (sect.), 107*Pycnospace*, 107; *Columbariae*, 107

Pyrenocarpeae, 736

Pyrenodesmia, 619; *athallina*, 621; *aureantia*, 622; *cinericola*, 622; *Darbshirei*, 620, 712, 714

Q

Queen Maud Mountains, geology and plant life of, 467, 495, 514; lichens of, 515; temperature of, 480

Quercus falcata f. *angustior*, 771

R

Ramona, 98; *capitata*, 123; *Clevelandii*, 119; *Dorrii*, 133; *grandiflora*, 110; *humilis*, 136; *incana*, 130; *nivea*, 121; *pachystachya*, 125; *Palmeri*, 146;

pilosa, 133; *polystachya*, 140; *stachyoides*, 113; *Vaseyi*, 138
Rapanea aurea, 311
Ravnia triflora, 838
 Raymond Fosdick Mts., geology and plant life of, 494
Rehmiopsis, 551

Revisions, Additions, corrections, and, to the "Annotated Catalogue of the Flowering Plants of Missouri," 775
 Revision of the genus *Lomatium*, A, 225
 Revision of the Hawaiian species of *Euphorbia* L., 1
Rhizocarpon, 550; *flavum*, 552, 674, 676, 718
Rinodina, 655, 712; *olivaceobrunnea*, 659, 710; *sordida*, 657, 710
 Rocks in Marie Byrd Land: granitic, 473, 490; metamorphic sedimentary, 486
Rubiaceae, Panamanian, determined by P. C. Standley, 836

S

Salix cordata f. *mollis*, 770, f. *subintegra*, 770; *sericea* f. *glabra*, 769
Salvia, 95; *apiana*, 140, 186, 188; *apiana* var. *compacta*, 141, var. *typica*, 140; *apiana* × *Clevelandii*, 146; *apiana* × *eremostachya*, 148; *apiana* × *leucophylla*, 147; *apiana* × *mellifera*, 146; *apiana* × *Munzii*, 148; *apiana* × *pachyphylla*, 147; *apiana* × *Vaseyi*, 148; *bernardina*, 145, 149; *Brandegei*, 117, 168; *californica*, 104, 154; *californica*, 140; *carduacea*, 101, 152; *carnosa*, 128, subsp. *argentea*, 131, subsp. *Gilmani*, 132, subsp. *Mearnsii*, 131, subsp. *pilosa*, 133, 178, subsp. *typica*, 130; *carnosa* var. *compacta*, 125, var. *pilosa*, 133, var. *typica*, 130; *Clevelandii*, 119, 170; *Clevelandii* × *leucophylla*, 150; *Columbariae*, 107, 145, 160; *Columbariae* × *mellifera*, 145, 149; *Columbariae* var. *bernardina*, 149; *compacta*, 125; *eremostachya*, 134, 180; *eremostachya* × *Vaseyi*, 150; *funerea*, 105, 156; *funerea* var. *forficata*, 105; *gossypina*, 101; *Greatae*, 106, 158; *leucophylla*, 121, 172; *leucophylla* × *mellifera*, 149; *mellifera*, 112, 145, 164; *mellifera* var. *Jonesii*, 152, var. *revoluta*, 117, var. *typica*, 113; *mohavensis*, 123, 174; *Munzii*, 115, 166; *pachyphylla*, 125, 176; *Palmeri*, 146; *pilosa*, 133; *sonomensis*, 136, 182; *spatheacea*, 109, 162; *Vaseyi*, 138, 184

Salvias, The Californian. A review of *Salvia*, section *Audibertia*, 95
Sambucus canadensis f. *rubra*, 773
Sarcogyne, 556; *angulosa*, 556, 680; *grisea*, 558, 680
Sarconeurum antarcticum, 719; *glaciale*, 719
Sassafras Tzumu, 399
Saunders Mts., 486; geology and plant life of, 493
 Schmitt, Francis O. and G. T. Johnson. Optical and chemical studies on the granules in microspores of *Tradescantia*, 455
 Schweinfurth, Charles, Panamanian Orchidaceae determined by, 825
Scoparia dulcis, 436
Scopulariopsis, *brevicaulis*, 522, 712
 Scudder Mt., plant life of, 496, 512
Seytonema, 740, 742, 751
Sebifera glutinosa, 384
 Second Byrd Antarctic Expedition—Botany, 467
 Seibert, Russell J., R. E. Woodson Jr. and. Contributions toward a flora of Panama. II. Miscellaneous collections during 1936-1938, 823
 Senecio, Studies of South American—II, 795
Senecio, 795; *aberrans*, 796, 806; *abietinus*, 796; *adenotrichus*, 796; *algens*, 796; *algens* var. *major*, 796, var. *minor*, 796; *Andrei*, 797; *apiculatus*, 797; *arboreus*, 798, 801; *arbutifolius*, 798; *argenteus*, 798; *Aschenbornianus*, 798; *attenuatus*, 799; *baccharidiflorus*, 799; *bahioides*, 799, a *lanosus*, 799, *β glaber*, 799; *bogotensis*, 799; *Bowmani*, 799; *brachycodon*, 800; *Brittonianus*, 800, 810; *canabinæfolius*, 800; *chachapoyensis*, 801; *chaquiroensis*, 801; *coroicensis*, 806; *dictyophlebius*, 797, 801; *disciformis*, 805; *ellipticifolius*, 802; *ellipticus*, 803; *eristhalifolius*, 803; *erosus*, 816; *evacoides*, 803; *Georgianus*, 803; *grandifolius*, 804; *Greenmanianus*, 803; *Gürkei*, 804; *Hallii*, 803; *Hilli*, 804; *Hypsobates*, 805; *Klattii*, 805, 816; *Klugii*, 806; *laricifolius*, 807; *ledifolius*, 807; *ledifolius β Schlittii*, 807; *Lindenii*, 807; *Macbridei*, 808; *magellanicus*, 809; *Magnusii*, 809; *melanolepis*, 809; *Millei*, 809; *modestus*, 810; *modestus*, 822; *morrensis*, 807; *myriocephalus*, 800; *nevadensis*, 810; *octophyllus*, 811; *olophyllus*, 811; *pachypus*, 811; *Pampae*, 812; *pellucidinervis*, 800, 813; *pensilis*,

- 813; peregrinus, 800; pericaulis, 814; *pichinchensis*, 814; *pimpinellaefolius*, 815; *polyphyllus*, 815; *praeruptorum*, 816; *pulchellus*, 816; *pulchellus* *β. trichopus*, 820; *rhizomatus*, 816; *Richii*, 816, var. *latior*, 817; *Richii* var. *β.*, 817; *roseus*, 805; *scaphiformis*, 817; *semidentatus*, 808; *Sepium*, 818; *sinuatilobus*, 818; *sotariensis*, 818; *Sprucei*, 800; *stigophlebius*, 819; *subcandidus*, 819; *subdecurrens*, 819; *subglomerosus*, 819; *tephrosioides*, 819; *teretifolius*, 819; *theaeifolius*, 801, 810; *tolimensis*, 820; *trichopus*, 820; *tristis* var. *Comberi*, 820; *Urbani*, 821; *vaccinioides*, 821, var. *pruinosa*, 821; *vernicosus* var. *microphyllus*, 807; *verticillatus*, 821, var. *trichophorus*, 822; *volubilis*, 801; *Werdermannii*, 822; *yungacensis*, 806; *yurensis*, 822
- Seseli biterminalatum*, 284; *leiocarpum*, 291; *Nuttallii*, 278; *triternatum*, 284
- Sherff, Earl Edward. Revision of the Hawaiian species of *Euphorbia* L., 1
- Siebertia*, 550
- Siple, Paul A. The second Byrd Antarctic Expedition—Botany. I. Ecology and geographical distribution, 467
- Sirosiphon*, 751
- Skua Gull Peak, 481, 486, 488, 510, 512; geology and plant life of, 488
- Skua gulls, 481, 488, 502, 522
- Smyrniun nudicaule*, 290
- Snowy petrel on Mt. Helen Washington, 481, 486, 490, 504, 506
- Solorina*, 736; *crocea*, 736; *octospora*, 731
- Solubility properties of microspore granules of *Tradescantia*, 459
- South Victoria Land, 468; lichens of, 515
- Sphaerophorus*, 736
- Standley, P. C., Panamanian plants determined by: *Begoniaceae*, 830; *Combretaceae*, 831; *Myrsinaceae*, 832; *Nyctaginaceae*, 828; *Rubiaceae*, 836; *Theaceae*, 829
- Stemmadenia Donnell-Smithii*, 833
- Stereocaulon*, The taxonomic importance and phylogenetic significance of the cephalodia of, 729; phylogenetic connections within the genus, 734, 735
- Stereocaulon*, 729; *albicans*, 746, 748; *alpinum*, 746, 748, 752; *arbuscula*, 746, 748; *botryophorum*, 732, 746, 748; *chlorocarpoides*, 746, 749; *condensatum*, 746, 747, 748; *congestum*, 746, 748; *coralloides*, 746, 748; *cornutum*, 746, 748; *corticatum*, 746, 748; *curtatum*, 746, 748; *denudatum*, 732, 746, 748, 751, 752; *exutum*, 739, 746, 748, 752; *fastigiatum*, 751; *foliolosum*, 746, 748; *glareosum*, 746, 748; *gracilescens*, 746, 748; *grande*, 751; *japonicum*, 739, 746, 748, 752; *lecanoreum*, 746, 749; *macrocarpum*, 746, 749; *macrocephalum*, 746, 749; *Masartianum*, 753; *mixtum*, 746, 749, 752, 753; *nabewaziense*, 746, 748; *nanum*, 746, 748; *nesaeum*, 739, 746, 749, 752, 753; *nigrum*, 746, 748; *oetomerellum*, 746, 748; *paschale*, 732, 739, 741, 748, 751, 752; *pileatum*, 746, 747, 748; *pilophoroides*, 746, 749; *piluliferum*, 746, 749; *prostratum*, 746, 748, 752; *proximum*, 746, 749, 752, 753; *pygmaeum*, 745; *ramulosum*, 732, 739, 746, 749, 751, 752, 753; *rivulorum*, 746, 748; *sinense*, 746, 749; *sorediiferum*, 746, 749; *sphaerophoroides*, 746, 748; *strictum*, 746, 749; *tomentosum*, 739, 741, 746, 748, 752; *uvuliferum*, 746, 748; *Wrightii*, 746, 748
- Stereopeltis*, 556
- Steyermark, Julian A., Ernest J. Palmer and. New varieties and forms from Missouri, 769; Additions, corrections, and revisions to the "Annotated Catalogue of the Flowering Plants of Missouri," 775
- Stictaceae*, 520, 736
- Stigonema*, 740, 741, 742, 751
- Strangospora*, 554
- Studies in the Apocynaceae. VII. An evaluation of the genera *Plumeria* L. and *Himatanthus* Willd., 189
- Studies in the Lauraceae. I. Chinese and Indo-Chinese species of *Litsea*, *Neolitsea*, and *Actinodaphne*, 361
- Studies in Theaceae. III. *Eurya* subgenera *Euryodes* and *Penteurya*, 299
- Sunlight conditions in Marie Byrd Land, 477
- Symplococarpon* Hintoni, 354
- Symplocos laurina*, 254; *stellaris*, 398

T

- Taxodium distichum* f. *confusum*, 769
- Taxonomic importance and phylogenetic significance of the cephalodia of *Stereocaulon*, The, 729
- Temperatures: effect of, on pollen granules of *Tradescantia*, 461; in the Antarctic, 478
- Ternstroemia*, 355; *albo-punctata*, 353; *bifaria*, 321

Ternstroemiopsis (subgenus), 299, 300, 301

Tetradenia aurata, 422; *brideliifolia*, 385; *consimilis*, 426; *glauca*, 421; *obovata*, 405; *umbrosa*, 426; *zeylanica*, 427

Tetranthera amara, 396; *attenuata*, 397; *chartacea*, 378; *elongata*, 390; *feruginea*, 396; *glauca attenuata*, 397; *iteodaphne*, 391; *lanceifolia*, 395; *lanceifolia*, 395; *macrophylla*, 387; *monopetala*, 387; *obovata*, 405; *Panamaja*, 381; *Panamonja*, 381; *pilosa*, 404; *polyantha*, 387; *rotundifolia*, 385; *salicifolia*, 397; *sericea*, 369; *umbrosa*, 426

Theaceae, Studies in. III. *Eurya* subgenera *Euryodes* and *Penteurya*, 299; Panamanian, determined by P. C. Standley, 829

Thelidium, 524; *Caloplacae*, 525, 664; *inaequale*, 524, 664; *parvum*, 526, 712

Thorne Glacier, 496

Thysanothecium, 734

Tithymalus, 2, 73

Tithymalus (sect.), 73

Tortulaceae, 719

Tradescantia, Optical and chemical studies on the granules in microspores of, 455, 466

Tradescantia paludosa, microspores of, 456; photomicrographs of, 466

Trelease, William, Panamanian Piperaceae determined by, 825

Trypsin, effect of, on microspore granules of *Tradescantia*, 459

U

Umbilicaria, 559; *cerebriformis*, 562, 673, 714; *cristata*, 565, 678; *pateriformis*, 564, 676; *rugosa*, 561, 676, 714; *spongiosa*, 566, 678

Umbilicariaceae, 559

Urea, reaction of, on pollen granules of *Tradescantia*, 460

Usnea, 600; *antarctica*, 602, 690; *frigida*, 603, 690; sect. *Neuropogon*, 601; subgen. *Neuropogon*, 601; *sulphurea f. sphacelata*, 602

Usneaceae, 597

V

Veronica Africana, 436, 443

Verrucariaceae, 523

Vincetoxicum discolor, 833, 834

Volcano, plant life of, 494

W

Wind in the Antarctica, effect of, on plant life, 482, 502

Woodson, Robert E. Jr. Studies in the Apocynaceae. VII. An evaluation of the genera *Plumeria* L. and *Himantanthus* Willd., 189; and Russell J. Seibert. Contributions toward a flora of Panama. II. Miscellaneous collections during 1936-1938, 823

X

Xanthoria antarctica, 625; *lychnea f. antarctica*, 625